PATENT Atty. Docket No. H-KN-00175 US

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(s):

Kazuhiro ABE, et al.

**EXAMINER:** 

277 FED 22 Fil 4: 29

SERIAL NO .:

10/598,561

ART UNIT:

To Be Determined

FILING DATE:

September 5, 2006

To Be Determined

FILING DATE

UNDER 35 USC 371: March 2, 2005

TITLE:

MEDICAL SUTURING TOOL

Mail Stop 16 Director of the USPTO P.O. Box 1450 Alexandria, VA 22313-1450

#### REQUEST FOR REFUND

#### Honorable Director:

Applicant herewith submits the within request for refund of overpayment of filing fees for the subject application. Applicant mistakenly indicated that there were 16 claims in excess of twenty (20) in the amount of \$50 per claim. Attached is a copy of the fee calculation page filed electronically. Also attached is a copy of the claims as filed.

Applicant herewith requests a refund in the amount of \$800 to be credited to Deposit Account No. 500726 pursuant to 37 CFR §1.26(a).

Respectfully submitted,

Date: Feb 16

Edward S. Jarmolowicz, Esq. Atty. Registration No. 47,238

Attorney for Applicant

TYCO HEALTHCARE GROUP LP

15 Hampshire Street Mansfield, MA 02048 Tel: (508) 261-8476

### CERTIFICATE OF MAILING UNDER 37 CFR §1.8

The undersigned hereby certifies that this correspondence is being transmitted to the United States Patent and Trademark Office by regular mail to: Mail Stop 16, Director of the USPTO, P.O. Box 1450, Alexandria, VA 22313-1450 on the

Julie D. Parker



### United States Patent and Trademark Office

Home | Site Index | Search | FAQ | Glossary | Guides | Contacts | eBusiness | eBiz Alerts | News | Help

Portal Home   Patents	Trademarks   Sign Off Australia
	rademarks   Sign-Off Authenticated Session
Patent eBusiness   - □	EFS Registered
£lectronic Filipo	and the state of t
+) Patent Application Information	Registered Please Read Application Attach Review
1- L-313	
Patent Ownership	Calculate Fees
+ Fees	
Supplemental Resources & Support	If you are not paying fees for th
Saverices & Support	<b>!</b>
Patent Information	Failure to pay these fees on filing a
Patent Guidance and General Info	A submission has not been filed officially at the USPTO un
Codes, Rules & Manuals	USPTO. The Acknowledgement Receipt is evidence of this
Employee & Office Directories	
Resources & Public Notices	•
The some notices	Select business size: (a) Large Entity (i) Small Entity
Patent Searches	Fee Calculator  Select business size:   (a) Large Entity (b) Small Entity (b)
Patent Official Gazette	r de Calculator
Search Patents & Applications	
+ Search Biological Sequences	
Copies, Products & Services	✓ National Stage 274 P-4
TANALIS OF DELAICES	✓ National Stage 371 Patent Application Filing Feet
Other	1
Copyrights	Basic National Stage Fee
Irademarks	
Policy & Law Reports	Search - US was ISA or IPEA and all claims satisfy PCT Artic
<u>Keports</u>	Search - US was the ISA
	Search - Report Prepared and Provided to USPTO
	Search - All Other Situations
	Exam - US was ISA or IPEA and all claims satisfy PCT Article
	Fram - All Other Co.
	Exam - All Other Situations
	1
•	Application Size For Alivert
•	Application Size Fee - Number of Pages in the Specificatio
	Was this application originally filed in  paper?
	Yes No
	\$
	35 * .75 = 27
	Claims (select all that apply)
	Claims in excess of two-
	Independent delegation
	☐ Multiple Dependent Claims(\$360)
	Miscellaneous Face
	Miscellaneous Fees: (select all that apply)
	☑ Oath or declaration after thirty months from priority date (\$
	steel timely months from priority date (\$
•	2
	· ·
//sportal vente early	·
	al/!ut/p/kcxml/04_Sj9SPykssy0xPLMnMz0vM0Y 9/5/2006
	9/5/2006
	•

☐ English Translation after thirty	months from priority date (\$
Petition Eiling E	that apply)
	Privacy Canc
If you need help:	
<ul> <li>Call the Patent Electronic Busin</li> <li>Send general questions about L</li> <li>If you experience technical diffications</li> <li>786-9199.</li> </ul>	ess Center at (866) 217-919; ISPTO programs to the <u>USPTi</u> culties or problems with this .
You can suggest USPTO webpages or material you would like featured on this section by E-mail	to the <u>webmaste</u> r@uspto.gov
Home   Site Index   Search   eBusiness   Help   Privacy	and improvements on the i

https://sportal.uspto.gov/secure/myportal/!ut/p/kcxml/04\_Sj9SPykssy0xPLMnMz0vM0V

0/5/2000

Electronic A	Acknowledgement Receipt	
EFS ID:	1184689	
Application Number:	10598561	
Confirmation Number:	7239	
Title of Invention:	MEDICAL SUTURING TOOL	
First Named Inventor:	Kazuhiro ABE	
Customer Number:	54964	
Filer:	Edward Jarmolowicz	
Filer Authorized By:		
Attorney Docket Number:	H-KN-00175 US	
Receipt Date:	05-SEP-2006	
Filing Date:		
Time Stamp:	11:46:34	
Application Type:	U.S. National Stage under 35 USC 371	
International Application Number:	PCT/EP05/02180	
Payment information:	- L	
Submitted with Payment	yes	
Payment was successfully received in RAM	\$ 1730	
RAM confirmation Number	840	
Deposit Account	500726	
The Director of the USPTO is hereby authorized to	charge indicated fees and credit any overpayment as follows:	
Charge any Additional Fees required under	37 C.F.R. Section 1.16 and 1.17 :	

# **BEST AVAILABLE COPY**

Document Number	Document Description	File Name	File Size(Bytes)	Multi Part	Page
1	Abstract	HKN-00175Abstract.pdf	28433	no	
Warnings:			3	110	1
Information:			į		<b>L</b>
2	Application Data Sheet	HKN-00175ADŞ.pdf	52006	no	
Warnings:				1.0	3
Information:					
This is not an US	SPTO supplied ADS fillable form				
			:		
3	Claims	HKN-00175Claims.pdf	43331	no	4
Warnings:					•
Information:			<del></del>		
4	Drawings	hkn-00175FIGURES.PDF	204196	no	14
Warnings:					
nformation:					
5	Specification	HKN-00175Spec.pdf	130100	по	30
Varnings:			i		50
nformation:					
6	Fee Worksheet (PTO-875)	fee-info.pdf	8492	no	2
arnings:			1		
formation:			<del>-</del>		
	Т	otal Files Size (In bytes):			
		one (in bytes):	466558	3	

#### **CLAIMS**

A medical suturing tool (10) comprising:

an insertion puncture needle (13) formed with an insertion hole (13a) extending from a proximal end to a distal end thereof;

a retrieval puncture needle (14) disposed substantially in parallel with the insertion puncture needle at a predetermined distance therefrom; and

a surgical suture (16) extending from the proximal end of the insertion puncture needle through the distal end and then engaged with the distal end of the retrieval puncture needle (14) via an engaging portion (15), wherein pulling on the suture causes the engaging portion to emerge from the insertion needle (13) and extend across to the retrieval needle (14) so that, with withdrawal of the retrieval needle (14), the suture is advanced from a puncture made by the insertion needle (13) to a puncture made by the retrieval needle (14).

A tool according to claim 1, further comprising:

an elongate opening (18) provided on a surface of the insertion puncture needle (13) opposing to the retrieval puncture needle (14) in communication with the insertion hole (13a);

an engaging member (15) being capable of moving in the insertion hole of the insertion puncture needle and, when having reached a predetermined position in the insertion hole, bending from the side of the upper end portion thereof to project outside from the elongate opening; and

an engaging groove (19) provided on a surface of the retrieval puncture needle (14) opposing to the insertion puncture needle (13), wherein the surgical suture (16) is connected to the lower end of the engaging member so that the suturing tool engages with the engaging groove on the retrieval puncture needle after having passed from the proximal end to the distal end of the insertion puncture needle together with the engaging member.

3. A tool according to claim 2, wherein the engaging groove (19) includes a storage recess capable of accommodating the engaging member (15) and an engaged portion (19c) with which the upper end portion of the engaging member can engage.

- 4. A tool according to claim 2, wherein the upper end portion (19a) of the engaging member is thicker than the lower side portion (19b) of the engaging member, the elongate opening of the insertion puncture needle (13) including a wide upper portion (18a) through which the upper end portion of the engaging member can pass and a narrow lower portion (18b) through which the upper end portion of the engaging member cannot pass and the lower side portion of the engaging member can pass, and the engaging groove of the retrieval puncture needle (14) including a wide upper portion (19a) through which the upper end portion of the engaging member can enter and a narrow lower portion (19b) through which the upper end portion of the engaging member cannot pass but the lower side portion can enter.
- 5. A tool according to claim 4, wherein the upper end portion (15a) of the engaging member comprises a spherical body and the lower side portion (15b) of the engaging member comprises a rod member having smaller diameter than the spherical body.
- 6. A tool according to claim 4, wherein an engaging wall is provided at the lower portion of the surface of the wide upper portion of the engaging groove of the retrieval puncture needle (14) so that the upper end portion of the engaging member is prevented from coming off toward the outside from the wide upper portion of the engaging groove.
- 7. A tool according to claim 2, wherein the portion on the distal side of the insertion puncture needle (13) with respect to the elongate opening and at least part of the retrieval puncture needle (14) other than the portion where the engaging groove is formed as a solid portion.
- 8. A tool according to claim 2, wherein at least a portion of the insertion puncture needle (13) where the elongate opening is formed and of at least a portion of the retrieval puncture needle (14) where the engaging groove is formed are formed into an angular C-shape in lateral cross section, respectively, and are arranged so that the open sides are opposed to each other.

- 9. A tool according to claim 1, wherein needle points of the insertion puncture needle (13) and the retrieval puncture needle (14) are formed into a pointed conical shape or a tapered thin blade shape.
- 10. A tool according to claim 1, wherein at least one of the insertion puncture needle (13) and the retrieval puncture needle (14) is formed by connecting a metal member and a resin member.
- 11. A tool according to claim 1, wherein the insertion puncture needle (13) and the retrieval puncture needle (14) are releasably attached to a retaining member (11, 12, 41).
- 12. A tool according to claim 11, wherein the retaining member is constituted of a grip member (41) to be held by a hand.
- 13. A tool according to claim 11, further including a positioning member for regulating the mounting positions of the insertion puncture needle (13) and the retrieval puncture needle (14) with respect to the retaining member.
- A tool according to claim 11, wherein a plurality of pairs of the insertion puncture needle
   and the retrieval puncture needle (14) are provided on the retaining member.
- 16. A medical suturing tool (10) comprising an insertion puncture needle (13) with a shaft having a proximal end and a pointed distal end, and a retrieval puncture needle (14) with a shaft having a proximal end and a pointed distal end, and a retaining member (11) that connects the respective proximal ends to retain the respective shafts parallel, wherein the insertion needle shaft has an elongate aperture (18) in its wall surface facing the retrieval needle shaft, the retrieval needle shaft has an aperture (19) in its wall surface facing the insertion needle shaft, the respective shafts each defining a lumen from the proximal end to the respective aperture, and

the insertion needle lumen (13a) contains an elongate lock part (15) long enough to bridge across from the insertion needle aperture (18) to the retrieval needle aperture (19), the insertion

needle lumen containing a suture (16) which is attached to the lock part (15) whereby pulling on the suture causes the lock part to emerge from the insertion needle lumen and extend across to the retrieval needle aperture (19) so that, with withdrawal of the retrieval needle (14), the suture (16) is advanced from a puncture made by the insertion needle (13) to a puncture made by the retrieval needle (14).

Under the Paperwork Reduction Act of season		PTOIDE
TRANSMITTAL	Application Number  Filing Date	PTO/SB/21 (09-06 Approved for use through 03/31/2007. OMB 0651-003 Description of information unless it displays a valid OMB control number.  10/598,561;
FORM	First Named Inventor	09/05/2006
	Art Unit	Kazuhiro ABE
(to be used for all correspondence after initial fili	Examiner Name	To Be Determined
Total Number of Pages in This Submission		To Be Assigned
or Pages in This Submission	10 Attorney Docket Number	<del></del>
	ENOLOGIC	H-KN-00175 US
Foo Year	ENCLOSURES (Check all )	that apply
	Drawing(s)  Licensing-related Papers  Petition  Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Add Terminal Disclaimer  Request for Refund  CD, Number of CD(s)  Landscape Table on CD  marks  uest for Refund with supporting documents	After Allowance Communication to TC  Appeal Communication to Board of Appeals and Interferences  Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)  Proprietary Information  Status Letter  Other Enclosure(s) (please Identify below):
Firm Name SIGNATURE	OF APPLICATION	
Tyco Healthcare Group LP	OF APPLICANT, ATTORNE	Y, OR AGENT
Signature Signature		
Printed name duri Stan		!
Edward S. Jarmotowicz	meter	
Date 2 / /6/2007		
1 / 15 / 2007	Reg. No.	
		47,238
CERTIFIC	ATE OF TRANSPER	
I hereby certify that this correspondence is being facsim sufficient postage as first class mail in an envelope additional the date shown below:	ATE OF TRANSMISSION/M/	AILING pointed with the Levi
full D. C	Carkon	P.O. Box 1450, Alexandria, VA 22313-1450 on
Typed or printed name Julie D. Parker		
		Date 2 / 1 6/2007
This collection of information is required by 37 CFR 1.5. The information is process) an application. Confidentiality is governed by 35 U.S.O. gathering, preparing and extensive states of the confidentiality is governed by 35 U.S.O.	rmation is required to obtain or retain	1 8/2001

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a banefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief, Information Officer, U.S. Patent and ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.